ELSEVIER

Hearing Research 127 (1999) 167

HEARING RESEARCH

Author Index Volume 127

Abbas, P.J., see Rubinstein, J.T. (127) 108

Beitz, E., see Seebacher, T. (127) 95
Boettcher, F.A., see Canlon, B. (127) 158
Burkard, R., see Walton, J. (127) 86

Canlon, B., Ryan, A.F. and Boettcher, F.A.
On the factors required for obtaining protection against noise trauma by prior acoustic experience (127) 158
Caspary, D.M., see Nakayama, M. (127) 103
Chiu, J.-H., see Tu, T.-Y. (127) 149
Clock Eddins, A., Zuskov, M. and Salvi, R.J.
Changes in distortion product otoacoustic emissions during prolonged noise exposure (127) 119
Culling, J.F.,
The existence region of Huggins' pitch (127) 143

Dolan, D.F., see Yamasoba, T. (127) 31
Duncan, R.K., Eisen, M.D. and Saunders, J.C.
Distal separation of chick cochlear hair cell stereocilia: analysis of contact-constraint models (127) 22
Duncan, R.K., see Eisen, M.D. (127) 14
Durham, D., see Edmonds Jr., J.L. (127) 62

Edmonds Jr., J.L., Hoover, L.A. and Durham, D.
Breed differences in deafferentation-induced neuronal cell death and shrinkage in chick cochlear nucleus (127) 62
Eisen, M.D., see Duncan, R.K. (127) 22
Eisen, M.D., Duncan, R.K. and Saunders, J.C.
The tip link's role in asymmetric stereocilia motion of chick cochlear hair cells (127) 14

Finley, C.C., see Rubinstein, J.T. (127) 108

Helfert, R.H., see Nakayama, M. (127) 103
Hoover, L.A., see Edmonds Jr., J.L. (127) 62
Hradek, G.T., see Sato, M. (127) 1
Hu, L., see Ruckenstein, M.J. (127) 137

Klump, G.M., see Nieder, A. (127) 41
Konrad, H.R., see Nakayama, M. (127) 103
Kumagami, H., see Seebacher, T. (127) 95

Leake, P.A., see Sato, M. (127) 1
Lien, C.-F., see Tu, T.-Y. (127) 149

McFie, C., see Muñoz, D.J.B. (127) 55
Milbrandt, J.C., see Nakayama, M. (127) 103
Miller, J.M., see Yamasoba, T. (127) 31
Muñoz, D.J.B., McFie, C. and Thorne, P.R.
Modulation of cochlear blood flow by extracellular purines (127) 55

Nakayama, M., Caspary, D.M., Konrad, H.R., Milbrandt, J.C. and Helfert, R.H.
Age-related changes in [^{3}H]strychnine binding in the vestibular nuclei of rats (127) 103
Nieder, A., and Klump, G.M.
Adjustable frequency selectivity of auditory forebrain neurons recorded in a freely moving songbird via radiotelemetry (127) 41

Orlando, M., see Walton, J. (127) 86
Oysu, C., see Ozturan, O. (127) 129
Ozturan, O., and Oysu, C.
Influence of spontaneous otoacoustic emissions on distortion product otoacoustic emission amplitudes (127) 129

Puil, E., see Tennigkeit, F. (127) 77

Rubinstein, J.T., Wilson, B.S., Finley, C.C. and Abbas, P.J.
Pseudospontaneous activity: stochastic independence of auditory nerve fibers with electrical stimulation (127) 108
Ruckenstein, M.J., and Hu, L.
Antibody deposition in the stria vascularis of the MRL-Fas^{lpr} mouse (127) 137
Ruppersberg, J.P., see Seebacher, T. (127) 95
Ryan, A.F., see Canlon, B. (127) 158

Salvi, R.J., see Clock Eddins, A. (127) 119
Sato, M., Leake, P.A. and Hradek, G.T.
Postnatal development of the organ of Corti in cats: a light microscopic morphometric study (127) 1
Saunders, J.C., see Duncan, R.K. (127) 22
Saunders, J.C., see Eisen, M.D. (127) 14
Schultz, J.E., see Seebacher, T. (127) 95
Schwarz, D.W.F., see Tennigkeit, F. (127) 77
Seebacher, T., Beitz, E., Kumagami, H., Wild, K., Ruppersberg, J.P. and Schultz, J.E.
Expression of membrane-bound and cytosolic guanylyl cyclases in the rat inner ear (127) 95
Shu, C.-H., see Tu, T.-Y. (127) 149
Skellett, R.A.,
Reply to Canlon et al.: "On the factors required for obtaining protection against noise trauma by prior acoustic experience" (127) 161

Tennigkeit, F., Schwarz, D.W.F. and Puil, E.
Modulation of frequency selectivity by Na^+- and K^+-conductances in neurons of auditory thalamus (127) 77
Thorne, P.R., see Muñoz, D.J.B. (127) 55
Tu, T.-Y., Chiu, J.-H., Shu, C.-H. and Lien, C.-F.
cAMP mediates transepithelial K^+ and Na^+ transport in a strial marginal cell line (127) 149

Walton, J., Orlando, M. and Burkard, R.
Auditory brainstem response forward-masking recovery functions in older humans with normal hearing (127) 86
Wild, K., see Seebacher, T. (127) 95
Wilson, B.S., see Rubinstein, J.T. (127) 108

Yamasoba, T., Dolan, D.F. and Miller, J.M.
Acquired resistance to acoustic trauma by sound conditioning is primarily mediated by changes restricted to the cochlea, not by systemic responses (127) 31

Zuskov, M., see Clock Eddins, A. (127) 119

ELSEVIER

Hearing Research 127 (1999) 168–170

HEARING RESEARCH

Subject Index Volume 127

Acoustic trauma
Noise-induced hearing loss; Sound conditioning; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (127) 31)

Adenosine
Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Adenosine; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Aging
Brain; Glycine receptor; Receptor autoradiography (Nakayama, M. (127) 103)

Antibody
Autoimmune; Cochlea; Systemic lupus erythematosus; Stria vascularis (Ruckenstein, M.J. (127) 137)

Auditory
Chick; Basilar papilla; Stereocilia motion; Hair cell; Tip link (Eisen, M.D. (127) 14)

Chick; Stereocilia; Hair cell; Micromechanics (Duncan, R.K. (127) 22)

Cochlea removal; Avian; Nucleus magnocellularis (Edmonds Jr., J.L. (127) 62)

Temporal resolution; Recovery; Forward masking; Human (Walton, J. (127) 86)

Auditory forebrain
Bird; Starling; Telemetry; Field L; Frequency tuning; Two-tone interaction; Masking (Nieder, A. (127) 41)

Auditory nerve
Cochlear implant; Stochastic resonance; Electrical stimulation; Simulation (Rubinstein, J.T. (127) 108)

Auditory thalamus
Frequency analysis; Membrane property (Tennigkeit, F. (127) 77)

Auditory toughening
Noise-induced hearing loss; Sound conditioning; Acoustic trauma; Guinea pig; Cochlea (Yamasoba, T. (127) 31)

Autoimmune
Cochlea; Systemic lupus erythematosus; Antibody; Stria vascularis (Ruckenstein, M.J. (127) 137)

Avian
Auditory; Cochlea removal; Nucleus magnocellularis (Edmonds Jr., J.L. (127) 62)

Basilar membrane
Development; Organ of Corti; Hair cell; Tunnel of Corti (Sato, M. (127) 1)

Basilar papilla
Auditory; Chick; Stereocilia motion; Hair cell; Tip link (Eisen, M.D. (127) 14)

Binaural
Dichotic; Pitch; Huggins (Culling, J.F. (127) 143)

Bird
Starling; Telemetry; Auditory forebrain; Field L; Frequency tuning; Two-tone interaction; Masking (Nieder, A. (127) 41)

Brain
Aging; Glycine receptor; Receptor autoradiography (Nakayama, M. (127) 103)

cAMP
Marginal cell; Stria vascularis; Ion transport; Secondary messenger; Voltage clamp (Tu, T.-Y. (127) 149)

Chick
Auditory; Basilar papilla; Stereocilia motion; Hair cell; Tip link (Eisen, M.D. (127) 14)

Auditory; Stereocilia; Hair cell; Micromechanics (Duncan, R.K. (127) 22)

Chinchilla
Distortion product; Otoacoustic emission; Noise-induced hearing loss (Clock Eddins, A. (127) 119)

Cochlea
Guanylyl cyclase; Inner ear; Vestibulum; Endolymph (Seebacher, T. (127) 95)

Noise-induced hearing loss; Sound conditioning; Acoustic trauma; Auditory toughening; Guinea pig (Yamasoba, T. (127) 31)

Autoimmune; Systemic lupus erythematosus; Antibody; Stria vascularis (Ruckenstein, M.J. (127) 137)

Auditory; Avian; Nucleus magnocellularis (Edmonds Jr., J.L. (127) 62)

Cochlear blood flow
Adenosine; Adenosine 5′-triphosphate; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Cochlear implant
Stochastic resonance; Electrical stimulation; Simulation; Auditory nerve (Rubinstein, J.T. (127) 108)

Development
Basilar membrane; Organ of Corti; Hair cell; Tunnel of Corti (Sato, M. (127) 1)

Dichotic
Binaural; Pitch; Huggins (Culling, J.F. (127) 143)

Distortion product
Otoacoustic emission; Noise-induced hearing loss; Chinchilla (Clock Eddins, A. (127) 119)

Spontaneous otoacoustic emission; Normal-hearing human (Ozturan, O. (127) 129)

Electrical stimulation
Cochlear implant; Stochastic resonance; Simulation; Auditory nerve (Rubinstein, J.T. (127) 108)

Endolymph
Guanylyl cyclase; Inner ear; Cochlea; Vestibulum (Seebacher, T. (127) 95)

Field L
Bird; Starling; Telemetry; Auditory forebrain; Frequency tuning; Two-tone interaction; Masking (Nieder, A. (127) 41)

Forward masking
Auditory brainstem response; Temporal resolution; Recovery; Human (Walton, J. (127) 86)

Frequency analysis
Auditory thalamus; Membrane property (Tennigkeit, F. (127) 77)

Frequency tuning
Bird; Starling; Telemetry; Auditory forebrain; Field L; Two-tone interaction; Masking (Nieder, A. (127) 41)

Glycine receptor
Aging; Brain; Receptor autoradiography (Nakayama, M. (127) 103)

Guanylyl cyclase
Inner ear; Cochlea; Vestibulum; Endolymph (Seebacher, T. (127) 95)

Guinea pig
Noise-induced hearing loss; Sound conditioning; Acoustic trauma; Auditory toughening; Cochlea (Yamasoba, T. (127) 31)

Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Hair cell
Basilar membrane; Development; Organ of Corti; Tunnel of Corti (Sato, M. (127) 1)

Auditory; Chick; Basilar papilla; Stereocilia motion; Tip link (Eisen, M.D. (127) 14)

Auditory; Chick; Stereocilia; Micromechanics (Duncan, R.K. (127) 22)

Huggins
Binaural; Dichotic; Pitch (Culling, J.F. (127) 143)

Human
Auditory brainstem response; Temporal resolution; Recovery; Forward masking (Walton, J. (127) 86)

Inner ear
Guanylyl cyclase; Cochlea; Vestibulum; Endolymph (Seebacher, T. (127) 95)

Ion transport
cAMP; Marginal cell; Stria vascularis; Secondary messenger; Voltage clamp (Tu, T.-Y. (127) 149)

Laser Doppler flowmetry
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Marginal cell
cAMP; Stria vascularis; Ion transport; Secondary messenger; Voltage clamp (Tu, T.-Y. (127) 149)

Masking
Bird; Starling; Telemetry; Auditory forebrain; Field L; Frequency tuning; Two-tone interaction (Nieder, A. (127) 41)

Membrane property
Auditory thalamus; Frequency analysis (Tennigkeit, F. (127) 77)

Micromechanics
Auditory; Chick; Stereocilia; Hair cell (Duncan, R.K. (127) 22)

Noise-induced hearing loss
Sound conditioning; Acoustic trauma; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (127) 31)

Distortion product; Otoacoustic emission; Chinchilla (Clock Eddins, A. (127) 119)

Normal-hearing human
Spontaneous otoacoustic emission; Distortion product otoacoustic emission (Ozturan, O. (127) 129)

Nucleus magnocellularis
Auditory; Cochlea removal; Avian (Edmonds Jr., J.L. (127) 62)

Organ of Corti
Basilar membrane; Development; Hair cell; Tunnel of Corti (Sato, M. (127) 1)

Otoacoustic emission
Distortion product; Noise-induced hearing loss; Chinchilla (Clock Eddins, A. (127) 119)

P1 receptor
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor antagonist; P2 receptor;

P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

P2 receptor
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; Perilymph; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Perilymph
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Purine; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Pitch
Binaural; Dichotic; Huggins (Culling, J.F. (127) 143)

Purine
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Spiral ligament; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Receptor autoradiography
Aging; Brain; Glycine receptor (Nakayama, M. (127) 103)

Recovery
Auditory brainstem response; Temporal resolution; Forward masking; Human (Walton, J. (127) 86)

Secondary messenger
cAMP; Marginal cell; Stria vascularis; Ion transport; Voltage clamp (Tu, T.-Y. (127) 149)

Simulation
Cochlear implant; Stochastic resonance; Electrical stimulation; Auditory nerve (Rubinstein, J.T. (127) 108)

Sound conditioning
Noise-induced hearing loss; Acoustic trauma; Auditory toughening; Guinea pig; Cochlea (Yamasoba, T. (127) 31)

Spiral ligament
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Stria vascularis; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Spontaneous otoacoustic emission
Distortion product otoacoustic emission; Normal-hearing human (Ozturan, O. (127) 129)

Starling
Bird; Telemetry; Auditory forebrain; Field L; Frequency tuning; Two-tone interaction; Masking (Nieder, A. (127) 41)

Stereocilia
Auditory; Chick; Hair cell; Micromechanics (Duncan, R.K. (127) 22)

Auditory; Chick; Basilar papilla; Hair cell; Tip link (Eisen, M.D. (127) 14)

Stochastic resonance
Cochlear implant; Electrical stimulation; Simulation; Auditory nerve (Rubinstein, J.T. (127) 108)

Stria vascularis
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Uridine 5′-triphosphate (Muñoz, D.J.B. (127) 55)

Autoimmune; Cochlea; Systemic lupus erythematosus; Antibody (Ruckenstein, M.J. (127) 137)

cAMP; Marginal cell; Ion transport; Secondary messenger; Voltage clamp (Tu, T.-Y. (127) 149)

Systemic lupus erythematosus
Autoimmune; Cochlea; Antibody; Stria vascularis (Ruckenstein, M.J. (127) 137)

Telemetry
Bird; Starling; Auditory forebrain; Field L; Frequency tuning; Two-tone interaction; Masking (Nieder, A. (127) 41)

Temporal resolution
Auditory brainstem response; Recovery; Forward masking; Human (Walton, J. (127) 86)

Tip link
Auditory; Chick; Basilar papilla; Stereocilia motion; Hair cell (Eisen, M.D. (127) 14)

Tunnel of Corti
Basilar membrane; Development; Organ of Corti; Hair cell (Sato, M. (127) 1)

Two-tone interaction
Bird; Starling; Telemetry; Auditory forebrain; Field L; Frequency tuning; Masking (Nieder, A. (127) 41)

Uridine 5′-triphosphate
Adenosine; Adenosine 5′-triphosphate; Cochlear blood flow; Guinea pig cochlea; Laser Doppler flowmetry; P1 receptor; P1 receptor antagonist; P2 receptor; P2 receptor antagonist; Perilymph; Purine; Spiral ligament; Stria vascularis (Muñoz, D.J.B. (127) 55)

Vestibulum
Guanylyl cyclase; Inner ear; Cochlea; Endolymph (Seebacher, T. (127) 95)

Voltage clamp
cAMP; Marginal cell; Stria vascularis; Ion transport; Secondary messenger (Tu, T.-Y. (127) 149)